

	Type	L #	Hits	Search Text	DBs	Time Stamp
1	BRS	L1	1315 2	radio\$1 same ("FM" or "AM")	US- PGPUB; USPAT	2005/10/22 13:39
2	BRS	L2	1854	1 and (light\$3 or illuminat\$3 or backlight\$3) and clock\$3 and (circuit\$3 or microprocessor\$1 or integrated or control\$4 or microcomputer\$1 or processor\$1)	US- PGPUB; USPAT	2005/10/22 13:42
3	BRS	L3	722	2 and (battery or "power supply" or "DC") and (transformer\$1 or alternating or "AC")	US- PGPUB; USPAT	2005/10/22 13:44
4	BRS	L4	214	3 and modes near25 (off or standby or on)	US- PGPUB; USPAT	2005/10/22 14:23
5	BRS	L6	314	3 and modes same (off or standby or on)	US- PGPUB; USPAT	2005/10/22 14:07
6	BRS	L5	204	3 and modes near15 (off or standby or on)	US- PGPUB; USPAT	2005/10/22 13:46
7	BRS	L7	0	6 and D14/\$.ccls.	US- PGPUB; USPAT	2005/10/22 13:47
8	BRS	L8	1	6 and (D14/168 or D14/170)	US- PGPUB; USPAT	2005/10/22 13:55
9	BRS	L9	1	6 and (D14/188 or D14/171)	US- PGPUB; USPAT	2005/10/22 13:55
10	BRS	L10	0	6 and (D14/160 or D14/165)	US- PGPUB; USPAT	2005/10/22 13:56
11	BRS	L11	0	6 and (D14/193 or D14/198)	US- PGPUB; USPAT	2005/10/22 13:56
12	BRS	L12	4	6 and (455/90 or 455/100)	US- PGPUB; USPAT	2005/10/22 13:57

	Type	L #	Hits	Search Text	DBs	Time Stamp
13	BRS	L13	3	6 and (455/128 or 455/344)	US-PGPUB; USPAT	2005/10/22 14:45
14	BRS	L14	44	3 and modes same standby	US-PGPUB; USPAT	2005/10/22 14:08
15	BRS	L15	0	3 and modes and off and standby and on	US-PGPUB; USPAT	2005/10/22 14:24
16	BRS	L16	23	3 and modes near35 standby near25 ("AC" or alternating or power\$1)	US-PGPUB; USPAT	2005/10/22 14:53
17	BRS	L17	8	"4434509"	US-PGPUB; USPAT	2005/10/22 14:41
18	BRS	L18	7	"6238061"	US-PGPUB; USPAT	2005/10/22 14:43
19	BRS	L19	6	"6310833"	US-PGPUB; USPAT	2005/10/22 14:44
20	BRS	L20	3	"6496449"	US-PGPUB; USPAT	2005/10/22 14:44
21	BRS	L21	2	6 and (362/253 or 262/276)	US-PGPUB; USPAT	2005/10/22 14:47
22	BRS	L22	0	6 and (362/10 or 262/47)	US-PGPUB; USPAT	2005/10/22 14:47
23	BRS	L23	0	6 and (362/281 or 262/282)	US-PGPUB; USPAT	2005/10/22 14:47
24	BRS	L24	1	6 and (362/86 or 262/183)	US-PGPUB; USPAT	2005/10/22 14:48
25	BRS	L25	0	6 and (362/12 or 262/41)	US-PGPUB; USPAT	2005/10/22 14:48
26	BRS	L26	1	6 and (340/693.1 or 340/691.8)	US-PGPUB; USPAT	2005/10/22 14:49

	Type	L #	Hits	Search Text	DBs	Time Stamp
27	BRS	L27	1	6 and (340/652 or 340/664)	US-PGPUB; USPAT	2005/10/22 14:49
28	BRS	L28	0	6 and (340/635 or 340/636.1)	US-PGPUB; USPAT	2005/10/22 14:50
29	BRS	L29	0	6 and (340/636.12 or 340/636.18)	US-PGPUB; USPAT	2005/10/22 14:50
30	BRS	L30	3	6 and (340/333 or 340/506)	US-PGPUB; USPAT	2005/10/22 14:51
31	BRS	L31	1	6 and (340/516 or 340/539.1)	US-PGPUB; USPAT	2005/10/22 14:51
32	BRS	L32	33	6 and (340/825.69 or 340/825.72)	US-PGPUB; USPAT	2005/10/22 14:51
33	BRS	L33	2	32 and modes near35 standby near25 ("AC" or alternating or power\$1)	US-PGPUB; USPAT	2005/10/22 14:53